

Hi Res IR Vandal Proof Dome

Infrared LEDs illuminate dark areas for better night viewing.




Features

- 1/3" SONY Super HAD CCD
- 550 TV Line Resolution
- 3-Axis Camera Construction
- Vandal Proof Indoor/Outdoor Applications
- 12VDC/24VAC Operation

Specifications

Model	CV-DC550IRVVP
Signal System	NTSC
Scanning System	2:1 Interlace
Scanning Frequency (H)	15.734 kHz
Scanning Frequency (V)	59.94Hz
Image Sensor	1/3" SONY Super HAD CCD
Sync System	Internal
Total Pixels Number	811 (H) x 508 (V) 410K
Effective Pixels Number	768 (H) x 494 (V) 380K
Horizontal Resolution	550 TV Line
Video Output Level	1.0 Vp-p, 75 Ohm, Composite
Lens	3.8 ~ 9.5mm Varifocal Lens
Min Illumination	0.3 Lux Day, 0.00 Lux Night
White Balance	Auto
Dip SW	AGC On/Off, BLC On/OFF, Flickerless On/Off
Focus Mode	Manual
IR LED & Sensor	850nm/30° IR LED 20ea, 1 Sensor
Input/Output Connector	Power Input (Red), Video Output (Yellow)
Electronic Shutter Speed	1/60 ~ 1/100,000 Sec
Power Consumption	24VAC or 12VDC
Dimensions	100mm Diameter x 124.5mm (H)
Net Weight	1230g

Dimensions



ClearVision and the ClearVision Logo are registered trademarks of ClearVision, Inc.
 Sony is a registered trademark of Sony Corporation
 Product specifications and availability are subject to change without notice.
 ©Copyright 2008, ClearVision, Inc. All rights reserved.