

High Resolution Dome Camera

Features


- 1/3" SONY HAD CCD
- 600 TVL Resolution
- 3.8mm Fixed Lens
- 12 VDC
- Low Power Consumption



Specifications

Model	CV-DC600
Signal System	NTSC
Scanning System	2:1 Interlace
Scanning Frequency(H)	15.734 KHz
Scanning Frequency(V)	59.94 Hz
Image Sensor	1/3 inch Format CCD Imager
Sync. System	Internal
Total Pixels Number	811(H) x 508(V) 410K
Effective Pixels Number	768(H) x 494(V) 380K
Horizontal Resolution	600 TV Lines
Video Output Level	1.0 Vp-p (75Ω, Composite)
S/N Ratio	More than 50dB (AGC Off)
Lens	Fixed Lens (f=3.8mm)
Min. Illumination	0.1 Lux
White Balance	Auto
AGC	Auto
SBLC	Auto
Electronic Shutter Speed	1/60~1/120,000
Operating Temperature	-10°C~45°C / Humidity 30%~80% RH
Power Voltage	12VDC (10V~15V)
Power Consumption	Max. 1.8W/150mA
Dimensions	113.2 x 79.15 mm
Weight (Net)	Approx. 210g

Dimensions



ClearVision, the ClearVision Logo and Light Max are registered trademarks of ClearVision, Inc.
 Sony is a registered trademark of Sony Corporation
 Product specifications and availability are subject to change without notice.
 ©Copyright 2008, ClearVision, Inc. All rights reserved.